RISK ASSESSMENT

What are the hazards?	Generic Control Measures implemented	✓ X	Person to implement	Additional Control measures needed to reduce risk to an acceptable level	Person to implement	Date to be actioned
Competency	 Suitably qualified & experienced instructor (includes First Aid) or been through the internal sign off process New instructors will receive a full induction Clear briefings & supervision All accidents, near misses and incidents are recorded. Safety reviewed in staff meetings. 			 Monitoring of instructors Re-induction days Safety Culture of openness & sharing Students walked around the ropes course; Danger sections highlighted to students. Where applicable demonstration of how to do sections 		
Equipment Malfunction	 All equipment checked prior to use. Regular checks, maintenance & renewal schedule Designated High & Low ropes responsibility All equipment to correspond to required standards Personal protective equipment checked for correct fitting & monitored throughout activity by the instructor 			 Instructor visual check. Recorded in Day Book. Anything requiring attention recorded in ropes course log and mentioned to Management Any faulty equipment to be tagged and placed in PPE bin. Weekly ropes course check 		
Weather	Instructor to check weather forecast & equipment prior to session & observe conditions throughout. Change plans and equipment/elements used as necessary. Ensure participants have suitable & adequate clothing.			 Be aware of slip hazards: wooden elements when wet, ice/snow Check for storm debris 		
Falling/impact/hit by moving object	 Briefing of students & Staff Correct use of equipment Induction of instructors Helmets worn Appropriate Footwear check 			 Helmets checked by the instructor Long sleeved tops and at least knee length trousers to be worn Culture of accident, incident & near miss reporting, reviewing, and sharing Cover in staff re-inductions 		
Iliness	Information about existing medical conditions known by staff. Parental consent & medical forms			Check medication that may need to be accessed immediately is carried on the activity e.g., inhaler/Epi-pen		

